

Bringing The IPTC News Architecture into the Semantic Web


Raphaël Troncy, < Raphael. Troncy@cwi.nl>


CWI, Semantic Media Interfaces



ISWC 2008: Wednesday, 29 October 2008








Metadata is Key

- (Ultimate) Goal:
 - Provide an environment for searching and browsing contextualized multimedia news information
- Required integration:
 - Data: various media, different forms, various sources
 - Metadata: schema integration, semantic models
- Influence and implications of UI:
 - How to represent semantic multimedia metadata to facilitate presenting information?
 - in other words ... What constraints do end-user interfaces put on the modeling of the metadata?

ISWC 2008: Wednesday, 29 October 2008





Porting Schemas and Thesauri to the Semantic Web

- Methodologies and tools for building ontologies:
 ... from scratch
- "SKOSification" of thesauri in the CH domain:
 - preparation, syntactic and semantic conversion, standardization
- ⇒ Lack of best practices for modeling ontologies from UML diagrams, integrating ontologies with various thesauri, while taking the end-user interface into account

ISWC 2008: Wednesday, 29 October 2008



7

Building a Semantic Web Infrastructure for News




Modeling the
NAR ontology
Linking with
media ontologies

Building SKOS thesauri

Enriching the metadata

ISWC 2008: Wednesday, 29 October 2008










Step 1: Modeling the NAR Ontology

- Modeling unique identifiers
 - Use of dereferencable URIs for any resources (news items + vocabularies)
 - Future: Use of URIs for resource fragments http://www.youtube.com/watch?v=1bibCui3IFM#t=1m45s
- Modeling the provenance of the information
 - Reification
 - Named (and Networked) Graphs


ISWC 2008: Wednesday, 29 October 2008







Step 4: Enriching the News Metadata








© IPTC – www.iptc.org

- Concepts/Entities that are subject of news
 - Thematic categories
 - People
 - Organizations
 - Geopolitical Areas
 - Points of Interest
 - Events
 - Products or artefacts











Semantic Search of Multimedia News

Description	Number of RDF Triples
General Ontologies: NAR, DC, FOAF	7,336
Domain Specific Ontologies: football	104,358
Thesauri: newscodes	34,903
DBpedia, Geonames	53,468
AFP News Feed (June/July 2006)	804,446
AFP Photos (June/July 2006)	61,311
INA Broadcast Video (June/July 2006)	1,932
Total 90	Vered by Cliopatria 1,932 1,0 alpha 3 1,067,754
ISWC 2008: Wednesday, 29 October 2008	© 0 0 0 20



Conclusion

- 4-Steps methodology for building an ontologybased news infrastructure
 - UML-2-OWL: Flatten XML structure, Identify all resources
 - SKOS-ify existing thesauri and use the Web of Data
 - Reuse what is there ... Expose what you make
- Enrich metadata with text and visual analysis
 - Provide new dimensions (facets) for browsing the data
 - Ex: distinguish field images vs stadium and street images with a grass detector for the World Cup dataset

ISWC 2008: Wednesday, 29 October 2008



