

Chapter 10: XML

Introduction

- XML: Extensible Markup Language
- Defined by the WWW Consortium (W3C)
- Originally intended as a document markup language not a database language
 - 🔑 Documents have tags giving extra information about sections of the document
 - 📖 E.g. `<title> XML </title>` `<slide> Introduction ...</slide>`
 - 🔑 Derived from SGML (Standard Generalized Markup Language), but simpler to use than SGML
 - 🔑 **Extensible**, unlike HTML
 - 📖 Users can add new tags, and *separately* specify how the tag should be handled for display
 - 🔑 Goal was (is?) to replace HTML as the language for publishing documents on the Web

XML Introduction (Cont.)

- The ability to specify new tags, and to create nested tag structures made XML a great way to exchange **data**, not just documents.
 - 🔑 Much of the use of XML has been in data exchange applications, not as a replacement for HTML
- Tags make data (relatively) self-documenting
 - 🔑 E.g.

```
<bank>
  <account>
    <account-number> A-101  </account-number>
    <branch-name>   Downtown </branch-name>
    <balance>      500    </balance>
  </account>
  <depositor>
    <account-number> A-101  </account-number>
    <customer-name> Johnson </customer-name>
  </depositor>
</bank>
```

XML: Motivation

- Data interchange is critical in today's networked world
 - 🔑 Examples:
 - 📖 Banking: funds transfer
 - 📖 Order processing (especially inter-company orders)
 - 📖 Scientific data
 - Chemistry: ChemML, ...
 - Genetics: BSML (Bio-Sequence Markup Language), ...
 - 🔑 Paper flow of information between organizations is being replaced by electronic flow of information
- Each application area has its own set of standards for representing information
- XML has become the basis for all new generation data interchange formats



XML Motivation (Cont.)

- Earlier generation formats were based on plain text with line headers indicating the meaning of fields
 - 📌 Similar in concept to email headers
 - 📌 Does not allow for nested structures, no standard “type” language
 - 📌 Tied too closely to low level document structure (lines, spaces, etc)
- Each XML based standard defines what are valid elements, using
 - 📌 XML type specification languages to specify the syntax
 - 📖 DTD (Document Type Descriptors)
 - 📖 XML Schema
 - 📌 Plus textual descriptions of the semantics
- XML allows new tags to be defined as required
 - 📌 However, this may be constrained by DTDs
- A wide variety of tools is available for parsing, browsing and querying XML documents/data



Structure of XML Data

- **Tag:** label for a section of data
- **Element:** section of data beginning with `<tagname>` and ending with matching `</tagname>`
- Elements must be properly **nested**
 - 📌 Proper nesting


```
<account> ... <balance> .... </balance> </account>
```
 - 📌 Improper nesting


```
<account> ... <balance> .... </account> </balance>
```
 - 📌 Formally: every start tag must have a unique matching end tag, that is in the context of the same parent element.
- Every document must have a single top-level element




Example of Nested Elements

```

<bank-1>
  <customer>
    <customer-name> Hayes </customer-name>
    <customer-street> Main </customer-street>
    <customer-city> Harrison </customer-city>
    <account>
      <account-number> A-102 </account-number>
      <branch-name> Perryridge </branch-name>
      <balance> 400 </balance>
    </account>
    <account>
      ...
    </account>
  </customer>
  .
</bank-1>

```



Motivation for Nesting

- Nesting of data is useful in data transfer
 - 📌 Example: elements representing customer-id, customer name, and address nested within an order element
- Nesting is not supported, or discouraged, in relational databases
 - 📌 With multiple orders, customer name and address are stored redundantly
 - 📌 normalization replaces nested structures in each order by foreign key into table storing customer name and address information
 - 📌 Nesting is supported in object-relational databases
- But nesting is appropriate when transferring data
 - 📌 External application does not have direct access to data referenced by a foreign key





Structure of XML Data (Cont.)

- Mixture of text with sub-elements is legal in XML.

🔑 Example:

```
<account>
```

This account is seldom used any more.

```
<account-number> A-102</account-number>
```

```
<branch-name> Perryridge</branch-name>
```

```
<balance>400 </balance>
```

```
</account>
```

🔑 Useful for document markup, but discouraged for data representation



Attributes

- Elements can have **attributes**

🔑

```
<account acct-type = "checking" >
```

```
<account-number> A-102 </account-number>
```

```
<branch-name> Perryridge </branch-name>
```

```
<balance> 400 </balance>
```

```
</account>
```

- Attributes are specified by *name=value* pairs inside the starting tag of an element
- An element may have several attributes, but each attribute name can only occur once

🔑

```
<account acct-type = "checking" monthly-fee="5">
```



Attributes Vs. Subelements

- Distinction between subelement and attribute

🔑

In the context of documents, attributes are part of markup, while subelement contents are part of the basic document contents

🔑

In the context of data representation, the difference is unclear and may be confusing

🔑

Same information can be represented in two ways

–

```
<account account-number = "A-101"> .... </account>
```

–


```
<account>
```

```
<account-number>A-101</account-number> ...
```

```
</account>
```

🔑

Suggestion: use attributes for identifiers of elements, and use subelements for contents



More on XML Syntax

- Elements without subelements or text content can be abbreviated by ending the start tag with a `/>` and deleting the end tag

🔑

```
<account number="A-101" branch="Perryridge" balance="200" />
```

- To store string data that may contain tags, without the tags being interpreted as subelements, use CDATA as below

🔑

```
<![CDATA[<account> ... </account>]]>
```

🔑

Here, `<account>` and `</account>` are treated as just strings






Namespaces

- XML data has to be exchanged between organizations
- Same tag name may have different meaning in different organizations, causing confusion on exchanged documents
- Specifying a unique string as an element name avoids confusion
- Better solution: use **unique-name:element-name**
- Avoid using long unique names all over document by using XML Namespaces

```
<bank xmlns:FB='http://www.FirstBank.com'>
```

```
...
  <FB:branch>
    <FB:branchname>Downtown</FB:branchname>
    <FB:branchcity> Brooklyn </FB:branchcity>
  </FB:branch>
  ...
</bank>
```



XML Document Schema

- Database schemas constrain what information can be stored, and the data types of stored values
- XML documents are not required to have an associated schema
- However, schemas are very important for XML data exchange
 - 🔑 Otherwise, a site cannot automatically interpret data received from another site
- Two mechanisms for specifying XML schema

- 🔑 **Document Type Definition (DTD)**

- 📖 Widely used


- 🔑 **XML Schema**

- 📖 Newer, increasing use



Document Type Definition (DTD)

- The type of an XML document can be specified using a DTD
- DTD constraints structure of XML data
 - 🔑 What elements can occur
 - 🔑 What attributes can/must an element have
 - 🔑 What subelements can/must occur inside each element, and how many times.
- DTD does not constrain data types
 - 🔑 All values represented as strings in XML
- DTD syntax
 - 🔑 `<!ELEMENT element (subelements-specification) >`
 - 🔑 `<!ATTLIST element (attributes) >`



Element Specification in DTD

- Subelements can be specified as
 - 🔑 names of elements, or
 - 🔑 `#PCDATA` (parsed character data), i.e., character strings
 - 🔑 `EMPTY` (no subelements) or `ANY` (anything can be a subelement)
- Example


```
<! ELEMENT depositor (customer-name account-number)>
<! ELEMENT customer-name (#PCDATA)>
<! ELEMENT account-number (#PCDATA)>
```
- Subelement specification may have regular expressions


```
<!ELEMENT bank ( ( account | customer | depositor)+)>
```

 - 📖 Notation:
 - “|” - alternatives
 - “+” - 1 or more occurrences
 - “*” - 0 or more occurrences






Bank DTD

```

<!DOCTYPE bank [
  <!ELEMENT bank ( ( account | customer | depositor)+)>
  <!ELEMENT account (account-number branch-name balance)>
  <!ELEMENT customer(customer-name customer-street
                     customer-city)>
  <!ELEMENT depositor (customer-name account-number)>
  <!ELEMENT account-number (#PCDATA)>
  <!ELEMENT branch-name (#PCDATA)>
  <!ELEMENT balance(#PCDATA)>
  <!ELEMENT customer-name(#PCDATA)>
  <!ELEMENT customer-street(#PCDATA)>
  <!ELEMENT customer-city(#PCDATA)>
]>

```



Attribute Specification in DTD


- Attribute specification : for each attribute
 - 📌 Name
 - 📌 Type of attribute
 - 📌 CDATA
 - 📌 ID (identifier) or IDREF (ID reference) or IDREFS (multiple IDREFs)
 - more on this later
 - 📌 Whether
 - 📌 mandatory (#REQUIRED)
 - 📌 has a default value (value),
 - 📌 or neither (#IMPLIED)
- Examples
 - 📌 <!ATTLIST account acct-type CDATA "checking">
 - 📌 <!ATTLIST customer

customer-id	ID	# REQUIRED
accounts	IDREFS	# REQUIRED



IDs and IDREFs

- An element can have at most one attribute of type ID
- The ID attribute value of each element in an XML document must be distinct
 - 📌 Thus the ID attribute value is an object identifier
- An attribute of type IDREF must contain the ID value of an element in the same document
- An attribute of type IDREFS contains a set of (0 or more) ID values. Each ID value must contain the ID value of an element in the same document



Bank DTD with Attributes

- Bank DTD with ID and IDREF attribute types.


```

<!DOCTYPE bank-2[
  <!ELEMENT account (branch, balance)>
  <!ATTLIST account
    account-number ID      # REQUIRED
    owners          IDREFS # REQUIRED>
  <!ELEMENT customer(customer-name, customer-street,
                     customer-city)>
  <!ATTLIST customer
    customer-id ID      # REQUIRED
    accounts   IDREFS # REQUIRED>
  ... declarations for branch, balance, customer-name,
    customer-street and customer-city
]>

```





XML data with ID and IDREF attributes

```
<bank-2>
  <account account-number="A-401" owners="C100 C102">
    <branch-name> Downtown </branch-name>
    <balance>      500 </balance>
  </account>
  <customer customer-id="C100" accounts="A-401">
    <customer-name>Joe    </customer-name>
    <customer-street> Monroe </customer-street>
    <customer-city>  Madison</customer-city>
  </customer>
  <customer customer-id="C102" accounts="A-401 A-402">
    <customer-name> Mary   </customer-name>
    <customer-street> Erin   </customer-street>
    <customer-city>  Newark </customer-city>
  </customer>
</bank-2>
```



Limitations of DTDs

- No typing of text elements and attributes
 - 📌 All values are strings, no integers, reals, etc.
- Difficult to specify unordered sets of subelements
 - 📌 Order is usually irrelevant in databases
 - 📌 (A | B)* allows specification of an unordered set, but
 - 📌 Cannot ensure that each of A and B occurs only once
- IDs and IDREFs are untyped
 - 📌 The *owners* attribute of an account may contain a reference to another account, which is meaningless
 - 📌 *owners* attribute should ideally be constrained to refer to customer elements



XML Schema

- XML Schema is a more sophisticated schema language which addresses the drawbacks of DTDs. Supports
 - 📌 Typing of values
 - 📌 E.g. integer, string, etc
 - 📌 Also, constraints on min/max values
 - 📌 User defined types
 - 📌 Is itself specified in XML syntax, unlike DTDs
 - 📌 More standard representation, but verbose
 - 📌 Is integrated with namespaces
 - 📌 Many more features
 - 📌 List types, uniqueness and foreign key constraints, inheritance ..
- BUT: significantly more complicated than DTDs, not yet widely used.



XML Schema Version of Bank DTD

```
<xsd:schema xmlns:xsd=http://www.w3.org/2001/XMLSchema>
  <xsd:element name="bank" type="BankType"/>
  <xsd:element name="account">
    <xsd:complexType>
      <xsd:sequence>
        <xsd:element name="account-number" type="xsd:string"/>
        <xsd:element name="branch-name" type="xsd:string"/>
        <xsd:element name="balance" type="xsd:decimal"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
  .... definitions of customer and depositor ....
  <xsd:complexType name="BankType">
    <xsd:sequence>
      <xsd:element ref="account" minOccurs="0" maxOccurs="unbounded"/>
      <xsd:element ref="customer" minOccurs="0" maxOccurs="unbounded"/>
      <xsd:element ref="depositor" minOccurs="0" maxOccurs="unbounded"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:schema>
```



Querying and Transforming XML Data

- Translation of information from one XML schema to another
- Querying on XML data
- Above two are closely related, and handled by the same tools
- Standard XML querying/translation languages
 - 📌 XPath
 - 📖 Simple language consisting of path expressions
 - 📌 XSLT
 - 📖 Simple language designed for translation from XML to XML and XML to HTML
 - 📌 XQuery
 - 📖 An XML query language with a rich set of features
- Wide variety of other languages have been proposed, and some served as basis for the Xquery standard
 - 📌 XML-QL, Quilt, XQL, ...



Tree Model of XML Data


- Query and transformation languages are based on a **tree model** of XML data
- An XML document is modeled as a tree, with **nodes** corresponding to elements and attributes
 - 📌 Element nodes have children nodes, which can be attributes or subelements
 - 📌 Text in an element is modeled as a text node child of the element
 - 📌 Children of a node are ordered according to their order in the XML document
 - 📌 Element and attribute nodes (except for the root node) have a single parent, which is an element node
 - 📌 The root node has a single child, which is the root element of the document
- We use the terminology of nodes, children, parent, siblings, ancestor, descendant, etc., which should be interpreted in the above tree model of XML data.



XPath

- XPath is used to address (select) parts of documents using **path expressions**
- A path expression is a sequence of steps separated by "/"
 - 📌 Think of file names in a directory hierarchy
- Result of path expression: set of values that along with their containing elements/attributes match the specified path
- E.g. `/bank-2/customer/customer-name` evaluated on the bank-2 data we saw earlier returns

```
<customer-name>Joe</customer-name>
<customer-name>Mary</customer-name>
```
- E.g. `/bank-2/customer/customer-name/text()` returns the same names, but without the enclosing tags



XPath (Cont.)


- The initial "/" denotes root of the document (above the top-level tag)
- Path expressions are evaluated left to right
 - 📌 Each step operates on the set of instances produced by the previous step
- Selection predicates may follow any step in a path, in []
 - 📌 E.g. `/bank-2/account[balance > 400]`
 - 📖 returns account elements with a balance value greater than 400
 - 📌 `/bank-2/account[balance]` returns account elements containing a balance subelement
- Attributes are accessed using "@"
 - 📌 E.g. `/bank-2/account[balance > 400]/@account-number`
 - 📖 returns the account numbers of those accounts with balance > 400
 - 📌 IDREF attributes are not dereferenced automatically (more on this later)






Functions in XPath

- XPath provides several functions
 - 🔑 The function `count()` at the end of a path counts the number of elements in the set generated by the path
 - 📖 E.g. `/bank-2/account[customer/count() > 2]`
 - Returns accounts with > 2 customers
 - 🔑 Also function for testing position (1, 2, ..) of node w.r.t. siblings
 - Boolean connectives `and` and `or` and function `not()` can be used in predicates
 - IDREFs can be referenced using function `id()`
 - 🔑 `id()` can also be applied to sets of references such as IDREFS and even to strings containing multiple references separated by blanks
 - 🔑 E.g. `/bank-2/account/id(@owner)`
 - 📖 returns all customers referred to from the owners attribute of account elements.




More XPath Features

- Operator `"|"` used to implement union
 - 🔑 E.g. `/bank-2/account/id(@owner) | /bank-2/loan/id(@borrower)`
 - 📖 gives customers with either accounts or loans
 - 📖 However, `"|"` cannot be nested inside other operators.
- `"//"` can be used to skip multiple levels of nodes
 - 🔑 E.g. `/bank-2//customer-name`
 - 📖 finds any `customer-name` element *anywhere* under the `/bank-2` element, regardless of the element in which it is contained.
- A step in the path can go to:
 - parents, siblings, ancestors and descendants
 - of the nodes generated by the previous step, not just to the children
 - 🔑 `"//"`, described above, is a short form for specifying "all descendants"
 - 🔑 `".."` specifies the parent.
 - 🔑 We omit further details,



XSLT

- A **stylesheet** stores formatting options for a document, usually separately from document
 - 🔑 E.g. HTML style sheet may specify font colors and sizes for headings, etc.
- The **XML Stylesheet Language (XSL)** was originally designed for generating HTML from XML
- XSLT is a general-purpose transformation language
 - 🔑 Can translate XML to XML, and XML to HTML
- XSLT transformations are expressed using rules called **templates**
 - 🔑 Templates combine selection using XPath with construction of results



XSLT Templates

- Example of XSLT template with **match** and **select** part


```
<xsl:template match="/bank-2/customer">
  <xsl:value-of select="customer-name"/>
</xsl:template>
<xsl:template match="*" />
```
- The `match` attribute of `xsl:template` specifies a pattern in XPath
- Elements in the XML document matching the pattern are processed by the actions within the `xsl:template` element
 - 🔑 `xsl:value-of` selects (outputs) specified values (here, `customer-name`)
- For elements that do not match any template
 - 🔑 Attributes and text contents are output as is
 - 🔑 Templates are recursively applied on subelements
- The `<xsl:template match="*" />` template matches all elements that do not match any other template
 - 🔑 Used to ensure that their contents do not get output.





XSLT Templates (Cont.)

- If an element matches several templates, only one is used
 - 🔑 Which one depends on a complex priority scheme/user-defined priorities
 - 🔑 We assume only one template matches any element



Creating XML Output

- Any text or tag in the XSL stylesheet that is not in the xsl namespace is output as is
- E.g. to wrap results in new XML elements.

```
<xsl:template match="/bank-2/customer">
  <customer>
    <xsl:value-of select="customer-name"/>
  </customer>
</xsl:template>
<xsl:template match="*" />
```

🔑 Example output:

```
<customer> Joe </customer>
<customer> Mary </customer>
```




Creating XML Output (Cont.)

- Note: Cannot directly insert a **xsl:value-of** tag inside another tag
 - 🔑 E.g. cannot create an attribute for <customer> in the previous example by directly using **xsl:value-of**
 - 🔑 XSLT provides a construct **xsl:attribute** to handle this situation
 - 📖 xsl:attribute adds attribute to the preceding element
 - 📖 E.g.


```
<customer>
  <xsl:attribute name="customer-id">
    <xsl:value-of select="customer-id"/>
  </xsl:attribute>
</customer>
```

 results in output of the form


```
<customer customer-id="..."> ....
```
- **xsl:element** is used to create output elements with computed names



Structural Recursion

- Action of a template can be to recursively apply templates to the contents of a matched element
- E.g.

```
<xsl:template match="/bank">
  <customers>
    <xsl:template apply-templates/>
  </customers>
</xsl:template>
<xsl:template match="/customer">
  <customer>
    <xsl:value-of select="customer-name"/>
  </customer>
</xsl:template>
<xsl:template match="*" />
```

■ Example output:

```
<customers>
  <customer> John </customer>
  <customer> Mary </customer>
</customers>
```





Joins in XSLT

- XSLT **keys** allow elements to be looked up (indexed) by values of subelements or attributes
 - Keys must be declared (with a name) and, the key() function can then be used for lookup. E.g.
 - `<xsl:key name="acctno" match="account" use="account-number"/>`
 - `<xsl:value-of select=key("acctno", "A-101")>`
- Keys permit (some) joins to be expressed in XSLT


```
<xsl:key name="acctno" match="account" use="account-number"/>
<xsl:key name="custno" match="customer" use="customer-name"/>
<xsl:template match="depositor">
  <cust-acct>
    <xsl:value-of select=key("custno", "customer-name")/>
    <xsl:value-of select=key("acctno", "account-number")/>
  </cust-acct>
</xsl:template>
<xsl:template match="*" />
```



Sorting in XSLT


- Using an `xsl:sort` directive inside a template causes all elements matching the template to be sorted
 - 🔑 Sorting is done before applying other templates
- E.g.


```
<xsl:template match="/bank">
  <xsl:apply-templates select="customer">
    <xsl:sort select="customer-name"/>
  </xsl:apply-templates>
</xsl:template>
<xsl:template match="customer">
  <customer>
    <xsl:value-of select="customer-name"/>
    <xsl:value-of select="customer-street"/>
    <xsl:value-of select="customer-city"/>
  </customer>
</xsl:template>
<xsl:template match="*" />
```



XQuery

- XQuery is a general purpose query language for XML data
- Currently being standardized by the World Wide Web Consortium (W3C)
 - 🔑 The textbook description is based on a March 2001 draft of the standard. The final version may differ, but major features likely to stay unchanged.
- Alpha version of XQuery engine available free from Microsoft
- XQuery is derived from the Quilt query language, which itself borrows from SQL, XQL and XML-QL
- XQuery uses a **for ... let ... where .. result ...** syntax
 - for** ⇔ SQL from
 - where** ⇔ SQL where
 - result** ⇔ SQL select
 - let** allows temporary variables, and has no equivalent in SQL



FLWR Syntax in XQuery

- For clause uses XPath expressions, and variable in for clause ranges over values in the set returned by XPath
- Simple FLWR expression in XQuery
 - 🔑 find all accounts with balance > 400, with each result enclosed in an `<account-number> .. </account-number>` tag


```
for   $x in /bank-2/account
let   $acctno := $x/@account-number
where $x/balance > 400
return <account-number> $acctno </account-number>
```
- Let clause not really needed in this query, and selection can be done in XPath. Query can be written as:


```
for $x in /bank-2/account[balance>400]
return <account-number> $x/@account-number
      </account-number>
```





Path Expressions and Functions

- Path expressions are used to bind variables in the **for** clause, but can also be used in other places
 - 📌 E.g. path expressions can be used in **let** clause, to bind variables to results of path expressions
- The function **distinct()** can be used to removed duplicates in path expression results
- The function **document(name)** returns root of named document
 - 📌 E.g. `document("bank-2.xml")/bank-2/account`
- Aggregate functions such as **sum()** and **count()** can be applied to path expression results
- XQuery does not support group by, but the same effect can be got by nested queries, with nested FLWR expressions within a **result** clause
 - 📌 More on nested queries later



Joins

- Joins are specified in a manner very similar to SQL


```

for $a in /bank/account,
    $c in /bank/customer,
    $d in /bank/depositor

where $a/account-number = $d/account-number
and $c/customer-name = $d/customer-name
return <cust-acct> $c $a </cust-acct>
      
```
- The same query can be expressed with the selections specified as XPath selections:


```

for $a in /bank/account
    $c in /bank/customer
    $d in /bank/depositor[
      account-number = $a/account-number and
      customer-name = $c/customer-name]
return <cust-acct> $c $a</cust-acct>
      
```




Changing Nesting Structure

- The following query converts data from the flat structure for **bank** information into the nested structure used in **bank-1**

```

<bank-1>
  for $c in /bank/customer
  return
    <customer>
      $c/*
      for $d in /bank/depositor[customer-name = $c/customer-name],
        $a in /bank/account[account-number=$d/account-number]
      return $a
    </customer>
  </bank-1>
      
```
- **\$c/*** denotes all the children of the node to which **\$c** is bound, without the enclosing top-level tag
- Exercise for reader: write a nested query to find sum of account balances, grouped by branch.



XQuery Path Expressions

- **\$c/text()** gives text content of an element without any subelements/tags
- XQuery path expressions support the “**→**” operator for dereferencing IDREFs
 - 📌 Equivalent to the **id()** function of XPath, but simpler to use
 - 📌 Can be applied to a set of IDREFs to get a set of results
 - 📌 June 2001 version of standard has changed “**→**” to “**=>**”





Sorting in XQuery

- **Sortby** clause can be used at the end of any expression. E.g. to return customers sorted by name


```
for $c in /bank/customer
return <customer> $c/* </customer> sortby(name)
```
- Can sort at multiple levels of nesting (sort by customer-name, and by account-number within each customer)

```
<bank-1>
for $c in /bank/customer
return
  <customer>
    $c/*
    for $d in /bank/depositor[customer-name=$c/customer-name],
      $a in /bank/account[account-number=$d/account-number]
    return <account> $a/* </account> sortby(account-number)
  </customer> sortby(customer-name)
</bank-1>
```



Functions and Other XQuery Features

- User defined functions with the type system of XMLSchema


```
function balances(xsd:string $c) returns list(xsd:numeric) {
  for $d in /bank/depositor[customer-name = $c],
    $a in /bank/account[account-number=$d/account-number]
  return $a/balance
}
```
- Types are optional for function parameters and return values
- Universal and existential quantification in where clause predicates
 - 🔑 **some** \$e in *path* satisfies *P*
 - 🔑 **every** \$e in *path* satisfies *P*
- XQuery also supports If-then-else clauses



Application Program Interface

- There are two standard application program interfaces to XML data:

🔑 SAX (Simple API for XML)

- 📖 Based on parser model, user provides event handlers for parsing events
 - E.g. start of element, end of element
 - Not suitable for database applications

🔑 DOM (Document Object Model)

- 📖 **XML** data is parsed into a tree representation
- 📖 Variety of functions provided for traversing the DOM tree
- 📖 E.g.: Java DOM API provides Node class with methods


```
getParentNode( ), getFirstChild( ), getNextSibling( )
getAttribute( ), getData( ) (for text node)
getElementsByTagName( ), ...
```
- 📖 Also provides functions for updating DOM tree



Storage of XML Data

- XML data can be stored in
 - 🔑 Non-relational data stores
 - 📖 Flat files
 - Natural for storing XML
 - But has all problems discussed in Chapter 1 (no concurrency, no recovery, ...)
 - 📖 XML database
 - Database built specifically for storing XML data, supporting DOM model and declarative querying
 - Currently no commercial-grade systems
 - 🔑 Relational databases
 - 📖 Data must be translated into relational form
 - 📖 Advantage: mature database systems
 - 📖 Disadvantages: overhead of translating data and queries



Storage of XML in Relational Databases

■ Alternatives:

- 🔑 String Representation
- 🔑 Tree Representation
- 🔑 Map to relations

String Representation

■ Store each top level element as a string field of a tuple in a relational database

- 🔑 Use a single relation to store all elements, or
- 🔑 Use a separate relation for each top-level element type
 - 📖 E.g. account, customer, depositor relations
 - Each with a string-valued attribute to store the element

■ Indexing:

- 🔑 Store values of subelements/attributes to be indexed as extra fields of the relation, and build indices on these fields
 - 📖 E.g. customer-name or account-number
- 🔑 Oracle 9 supports **function indices** which use the result of a function as the key value.
 - 📖 The function should return the value of the required subelement/attribute

String Representation (Cont.)

■ Benefits:

- 🔑 Can store any XML data even without DTD
- 🔑 As long as there are many top-level elements in a document, strings are small compared to full document
 - 📖 Allows fast access to individual elements.

■ Drawback: Need to parse strings to access values inside the elements


- 🔑 Parsing is slow.

Tree Representation

■ Tree representation: model XML data as tree and store using relations

nodes(id, type, label, value)

child (child-id, parent-id)



- Each element/attribute is given a unique identifier
- Type indicates element/attribute
- Label specifies the tag name of the element/name of attribute
- Value is the text value of the element/attribute
- The relation *child* notes the parent-child relationships in the tree
 - 🔑 Can add an extra attribute to *child* to record ordering of children



Tree Representation (Cont.)

- Benefit: Can store any XML data, even without DTD
- Drawbacks:
 - 📌 Data is broken up into too many pieces, increasing space overheads
 - 📌 Even simple queries require a large number of joins, which can be slow



Mapping XML Data to Relations

■ Map to relations

- 📌 If DTD of document is known, can map data to relations
- 📌 A relation is created for each element type
 - 📖 Elements (of type #PCDATA), and attributes are mapped to attributes of relations
 - 📖 More details on next slide ...

■ Benefits:


- 📌 Efficient storage
- 📌 Can translate XML queries into SQL, execute efficiently, and then translate SQL results back to XML

■ Drawbacks: need to know DTD, translation overheads still present



Mapping XML Data to Relations (Cont.)

- Relation created for each element type contains
 - 📌 An id attribute to store a unique id for each element
 - 📌 A relation attribute corresponding to each element attribute
 - 📌 A parent-id attribute to keep track of parent element
 - 📖 As in the tree representation
 - 📖 Position information (i^{th} child) can be store too
- All subelements that occur only once can become relation attributes
 - 📌 For text-valued subelements, store the text as attribute value
 - 📌 For complex subelements, can store the id of the subelement
- Subelements that can occur multiple times represented in a separate table
 - 📌 Similar to handling of multivalued attributes when converting ER diagrams to tables



Mapping XML Data to Relations (Cont.)

- E.g. For bank-1 DTD with **account** elements nested within **customer** elements, create relations
 - 📌 **customer(id, parent-id, customer-name, customer-stret, customer-city)**
 - 📖 **parent-id** can be dropped here since parent is the sole root element
 - 📖 All other attributes were subelements of type #PCDATA, and occur only once
 - 📌 **account (id, parent-id, account-number, branch-name, balance)**
 - 📖 **parent-id** keeps track of which customer an account occurs under
 - 📖 Same account may be represented many times with different parents

