

Exact Expression For Information Distance

Paul M.B. Vitányi

Abstract—Information distance can be defined not only between two strings but also in a finite multiset of strings of cardinality greater than two. We determine a best upper bound on the information distance. It is exact, since the upper bound on the information distance for all multisets is the same as the lower bound for infinitely many multisets of each of infinitely many cardinalities, up to a constant additive term.

Index Terms—Information distance, multiset, Kolmogorov complexity, similarity, pattern recognition, data mining.

I. INTRODUCTION

THE length of a shortest binary program to compute from one object to another object and vice versa expresses the amount of information that separates the objects. This is a proper distance [8, p. 205], is (almost) a metric, and spawned theoretic issues. Normalized in the appropriate manner it quantifies a similarity between objects [5], [6], [14] and is now widely used in pattern recognition [2], learning [4], and data mining [12]. Extending this approach we can ask how much the objects in a set of objects are alike, that is, the common information they share. All objects we discuss are represented as finite binary strings and we use Kolmogorov complexity [13] to express the central notion of this paper: information distance. Informally, the Kolmogorov complexity of a string is the length of a shortest binary program from which the string can be computed by a special type of Turing machine. It is a lower bound on the length of a compressed version of that string for any current or future computer. The text [16] introduces the notions, develops the theory, and presents applications.

We write *string* to denote a finite binary string. Other finite objects, such as multisets of strings (a multiset is a generalization of the notion of a set where each member can occur more than once), may be encoded into single strings in natural ways. The length of a string x is denoted by $|x|$. The *empty string* of 0 bits is denoted by ϵ . Thus $|\epsilon| = 0$. Denote by a capital a finite multiset of strings ordered length-increasing lexicographic. The cardinality $|X|$ of a finite multiset X is the number of occurrences of (possibly the same) elements in X . Confusion with the notation of the length of a string is avoided by the context. In this paper $|X| \geq 2$. Examples are $X = \{x, x\}$ and $X = \{x, y\}$ with $x \neq y$. In both cases $|X| = 2$. That is, we use the set notations of $\{\cdot\}$ and $|\cdot|$ also for multisets. The logarithms are binary throughout.

Manuscript received January 30, 2017; accepted March 8, 2017. Date of publication March 23, 2017; date of current version July 12, 2017.

The author is with the Center for Mathematics and Computer Science, University of Amsterdam, 1098XG Amsterdam, The Netherlands (e-mail: paul.vitanyi@cw.nl).

Communicated by E. Tuncel, Associate Editor for Source Coding.
Digital Object Identifier 10.1109/TIT.2017.2686883

A *Turing machine* has a program tape, an auxiliary tape, one or more work tapes and an output tape [16]. Every tape is semi-infinite and divided into squares. At the start the input tape is inscribed with the program with one bit per square from the origin onwards and finishing with a special endmarker. (This is sometimes designated as a *plain* Turing machine.) Some Turing machines can simulate every Turing machine. We call them universal. We need a special type of universal machine called optimal [13] (see also [16]) which also use short programs. Let U be a fixed reference *optimal universal Turing machine*. We denote a computation by U as $U(p, y) = z$ where the input (p, y) consists of p (the program) which is a string and y (the auxiliary) which is a finite sequence of strings (in this paper at most two), and z is the output. Following the notation in the text [16] for the “plain” Kolmogorov complexity used here, the minimal length of a program for U computing a string x with y on the auxiliary tape is the *conditional Kolmogorov complexity* $C(x|y)$ of x conditional to y . The *unconditional Kolmogorov complexity* is defined as $C(x) = C(x|\epsilon)$ with ϵ denoting the empty string.

In the concatenation xy of a pair of strings x and y we do not know where x ends and y begins. Therefore we design a version of x which is barely longer than x but where we know where x ends. The *self-delimiting* encoding of string x is $1^{|x|}0|x|$. If the length of x is equal n then its self-delimiting encoding has length $n + 2 \log n + 1$. We identify the n th string in $\{0, 1\}^*$ ordered lexicographic length-increasing with the n th natural number $0, 1, 2, \dots$. We denote the natural numbers by \mathcal{N} . A *pairing function* uniquely encodes two natural numbers (or strings) into a single natural number (or string) by a primitive recursive bijection. One of the best-known ones [3] is the computationally invertible Cantor pairing function $\langle \cdot, \cdot \rangle : \mathcal{N} \times \mathcal{N} \rightarrow \mathcal{N}$ defined by $\langle a, b \rangle = \frac{1}{2}(a+b)(a+b+1) + a$.

A. Related Work

In the seminal [1] the information distance $ID(x, y)$ between pairs of strings x and y was introduced as the length of a shortest program p for the reference optimal universal Turing machine U such that $U(p, x) = y$ and $U(p, y) = x$. It was shown that $ID(x, y) = \max\{C(x|y), C(y|x)\} + O(\log \max\{C(x|y), C(y|x)\})$. Using the prefix variant of Kolmogorov complexity [15] defined the information distance $ID(x_1, \dots, x_n)$ between a set of strings (x_1, \dots, x_n) as the length of a shortest program p such that $U(p, x_i, j) = x_j$ for all $1 \leq i, j \leq n$. References [17] (for $n = 2$) and [15] (for $n \geq 2$) contain related claims to Claim 2. Reference [18] denoted $X = \{x_1, \dots, x_n\}$ and defined $ID(X)$ as the length of a shortest program that computes X from every $x \in X$.

B. Results

If a program computes from every $x \in X$ to every $y \in Y$ then it must compute X on the way and specify additionally only the index of $y \in Y$. The essence is to compute X . If the input also gives the cardinality of X then it is proper to define

$$ID(X) = \min\{|p| : |X| = n, \\ U(p, \langle x, n \rangle) = X \text{ for all } x \in X\}, \quad (1)$$

where $p, x \in \{0, 1\}^*$ and $n \in \mathcal{N}$. The information distance $ID(X)$ can be viewed as a *diameter* of X . For $|X| = 2$ it is a conventional distance between the two members of X . Since it is a metric (with minor discrepancies in the metric inequalities) as shown in [18] the name “distance” seems appropriate. Since the 1990s it was perceived as a nuisance and a flaw that equality between $ID(X)$ and $\max_{x \in X}\{C(X|(x, n))\}$ held only up to an $O(\log \max_{x \in X}\{C(X|(x, n))\})$ additive term (initially $|X| = 2$). We prove that for all finite X holds $ID(X) \leq \max_{x \in X}\{C(X|(x, n))\} + \log |X| + O(1)$ and for infinitely many n there are infinitely many X with $|X| = n$ and $ID(X) \geq \max_{x \in X}\{C(X|(x, n))\} + \log |X| - O(1)$.

II. THE EXACT EXPRESSION

Theorem 1: Let $n \geq 2$ be an integer, X be a multiset of n strings and $\max_{x \in X}\{C(X|(x, n))\} = k$. Every multiset X of cardinality $n \geq 2$ satisfies $ID(X) \leq k + \log n + O(1)$. For infinitely many integers n there are infinitely many k such that there exists a multiset X of cardinality n satisfying $ID(X) \geq k + \log n - O(1)$.

Proof: Computably enumerate all Y 's of cardinality n without repetition such that $\max_{y \in Y}\{C(Y|(y, n))\} \leq k$. (Since for every Y the value of $\max_{y \in Y}\{C(Y|(y, n))\}$ is upper semicomputable¹ these Y 's can be computably enumerated.) Let \mathcal{Y} be the set of these Y . The set \mathcal{Y} is in general infinite since already for $n = 2$ and large enough k it contains $\{x, x\}$ for every string x . Define a bipartite graph $G = (V, E)$ with V the vertices and E the edges by

$$\begin{aligned} V_1 &= \{Y : Y \in \mathcal{Y}\}, \\ V_2 &= \{y : y \in Y \in V_1\}, \\ V &= V_1 \cup V_2, \\ E &= \{(Y, y) : y \in Y \in V_1\}. \end{aligned}$$

We want to determine a labeling of every edge $(Y, y) \in E$ such that for each $Y \in \mathcal{Y}$ and $y \in Y$ the labeling satisfies:

- (i) all edges incident with the same vertex in V_1 are labeled with identical labels; and
- (ii) all different edges incident with the same vertex in V_2 are labeled with different labels.

It follows from conditions (i) and (ii), that if two vertices $U, W \in V_1$ satisfy $U \cap W \neq \emptyset$ then the edges incident on U are

¹A real function f with rational arguments x, y is *upper semicomputable* if it is defined by a rational-valued computable function $\phi(x, y, k)$ with x, y rational numbers and k a nonnegative integer such that $\phi(x, y, k+1) \leq \phi(x, y, k)$ for every k and $\lim_{k \rightarrow \infty} \phi(x, y, k) = f(x, y)$. This means that f can be computably approximated arbitrary close from above.

labeled differently from the edges incident on W . By (1) a vertex in V_2 and the cardinality of the target vertex together with a program of length at most k determines a vertex in V_1 . Using these programs as labels, we obtain a labeling satisfying (i)–(ii). We want to determine an optimal or nearly optimal upper bound on the number of labels required. This is done informally at first in order to determine the structure of these labels. In Claim 2 a formal proof of the upper bound is presented.

Let $Y \in \mathcal{Y}$. Since $C(Y|(y, n)) \leq k$ for every $y \in Y$ there are at most $f(k) = \sum_{i=0}^k 2^i = 2^{k+1} - 1$ programs computing from y to different members of \mathcal{Y} . Therefore each vertex $y \in V_2$ has degree at most $f(k)$ and is connected by an edge with a vertex $Y \in V_1$ for which holds $y \in Y$. There are n or less different vertices in $V_2 \cap Y$. Each vertex in $V_2 \cap Y$ may be connected by an edge with at most $f(k) - 1$ different vertices in $V_1 \setminus \{Y\}$ apart from the one edge incident on Y . The labels on the edges incident on Y from each $y \in Y$ are identical but different from the labels on the other edges incident on each $y \in Y$. This results in an upper bound of $nf(k) - (n - 1)$ different labels, namely at most $n(f(k) - 1)$ labels for the edges incident on different vertices in $V_1 \setminus \{Y\}$ and 1 label for the at most n edges incident on Y . Let $P(k)$ be the set of strings of length at most k . Then $|P(k)| = f(k)$. We define $Q(k) = P(k) \times \{1, \dots, n\}$ where every $(p, m) \in Q(k)$ is described by a string

$$\underbrace{0^{k-|p|}1p}_{\text{block 1}} \underbrace{0^{|n|-|m|}m}_{\text{block 2}} \quad (2)$$

with the different blocks marked by $\underbrace{\quad}$. The strings m and n are the standard binary representations of the nonnegative integers m and n starting with a 1. Assuming that we know n and k this description can be uniquely parsed. The first block is $0^{k-|p|}1p$ with $p \in P(k)$. We can determine where p starts and since the length of the block is $k + 1$ we know which bit of p is the last one. The second block with leading nonsignificant 0's and m right adjusted ($m \leq n$) has length $|n|$. Therefore we know where it starts and where it ends. By this construction the length of the description of each member of $Q(k)$ is $k + |n| + 1$. The description can be parsed uniquely from left to right. Therefore every *label* (member) in $Q(k)$ is represented by a string from which k can be extracted if we know n .

Claim 2: For every finite integer $n \geq 2$ every multiset X of cardinality n satisfies $ID(X) \leq k + \log n + O(1)$.

Proof: First we formally show that the number of labels in $Q(k)$ is sufficient. Namely, by induction on the enumeration Y_1, Y_2, \dots of the vertices in V_1 we show that the edges arising can be labeled by at most $|Q(k)|$ labels. It is convenient to order $Q(k)$ lexicographic with the first coordinate according to the lexicographic length-increasing order and the second coordinate according to the usual order $1 < \dots < n$.

Base case ($m = 1$) Label all edges incident on Y_1 with the least label in $Q(k)$. This labeling satisfies condition (i), and condition (ii) is satisfied vacuously.

Induction ($m > 1$) Assume that all edges incident on vertices Y_1, \dots, Y_m have been labeled satisfying conditions (i) and (ii). Label the edges incident on Y_{m+1} by the least label

in $Q(k) \setminus Q'(k)$ where $Q'(k)$ is defined below and it is shown there that the set difference is non-empty. Every edge incident on a vertex $y \in Y_{m+1}$ and vertex Y_{m+1} must be labeled by the same label by condition (i). Every $y \in Y_{m+1}$ is connected by an edge with at most $f(k) - 1$ vertices in V_1 (excluding Y_{m+1}). Hence Y_{m+1} is connected by a path of length 2 via some vertex $y \in Y_{m+1}$ (there are at most n such vertices) with at most $n(f(k) - 1)$ different vertices in Y_1, \dots, Y_m . Let \mathcal{Z} be the set of these vertices and $Q'(k)$ be the set of labels on the edges in these paths incident on a vertex in the set \mathcal{Z} . Then $|Q'(k)| \leq n(f(k) - 1)$. Since $|Q(k)| = nf(k)$ and $n \geq 2$ the set difference $Q(k) \setminus Q'(k) \neq \emptyset$. We label in the lexicographic order of $Q(k)$ such that the labels in $Q'(k)$ are the least labels in $Q(k)$. To satisfy condition (ii) the label on an edge incident on Y_{m+1} is not in $Q'(k)$. To satisfy condition (i) all labels on edges incident on Y_{m+1} are the same and therefore can be labeled by the least element from $Q(k) \setminus Q'(k)$. *End induction*

Represented according to (2) the labels in $Q(k)$ have length $k + |n| + 1$. Let r be an $O(1)$ -length self-delimiting program. Since n is given, program r can extract k from the length of the label and make the reference machine U generate graph G and do the labeling process. Let the edge connecting $y \in Y$ with $Y \in V_1$ be labeled by $u \in Q(k)$. Since all edges (Y, y) with $y \in Y$ have the same label u by condition (i) and u does not label any edge incident on $Z \in V_1$ with $Z \cap Y \neq \emptyset$ by condition (ii) we can define $s_Y = u$.

The length of rs_X is an upper bound on $ID(X)$ as follows. In the computation $U(rs_X, \langle x, n \rangle) = X$ the machine U uses first the $O(1)$ -bit program r . This r retrieves k from $|s_X| = k + |n| + 1$. Next r computably enumerates \mathcal{Y} and therefore G . Subsequently r labels the edges of G in a standardized manner satisfying conditions (i) and (ii) with labels in $Q(k)$. It does so until it labels an edge by s_X which is incident on vertex x . Since the label s_X is unique for edges (X, y) with $y \in X$ the program r using x finds edge (X, x) and therefore X . Since $|rs_X| = k + \log n + O(1)$ this implies the claim. \square

Claim 3: There are infinitely many integers $n \geq 2$ such that for infinitely many X with $|X| = n$ and $\max_{x \in X} C(X|x, n) \leq k$ we have $ID(X) \geq k + \log n - O(1)$.

Proof: ($n = 2$): The claim is immediate since if $\max_{x \in X} C(X|x, n) = k$ then $ID(X) \geq k$.

($n > 2$): The following simple example is illustrative for the general principle involved.

Example 4: The sets $A = \{1, 2\}$, $B = \{2, 3\}$, $C = \{3, 1\}$ are three sets of cardinality two that intersect each other pairwise, every integer from $\{1, 2, 3\}$ is in two sets and $A \cap B \cap C = \emptyset$. By making M copies of sets A , B and C and enlarging each copy with a unique new integer not equal to 1, 2, or 3, we obtain $3M$ sets of cardinality three that intersect each other pairwise only. That is, integers 1, 2 and 3 belong to $2M$ sets each and no integer belongs to all $3M$ sets. The intersections of the $3M$ sets are not centralized in a single integer but distributed over different integers. It is impossible to prove the claim without this distributive property.

We start the proof proper here. Consider sets of cardinality $n - 1$. First use an argument from projective geometry as described in the texts [7], [11]. Represent each set as a line in the projective plane with the members of the set as points

on the line. Let integer q be a prime power, $n = q + 2$, and k an element in an infinite sequence of integers which satisfies $2^k < t(q+1) \leq 2^{k+1}$ and $k \geq 2 \log n + c$ for some $t \in \mathcal{N}$ and a constant $c > 0$ defined later. Let (P, L) be the projective plane over $GF(q)$ with P the set of points and L the set of lines. (Then $|P| = |L| = q^2 + q + 1$, every point is on $q + 1$ lines and every line contains $q + 1$ points. Every pair of lines intersect.) Add $t|L|$ dummy points. For every line $l \in L$ make t copies of l and add to each of the resulting lines a different dummy point such that all sets of points on a line become different. Let F be the resulting collection of sets of cardinality n . Then every set in F is different and every two sets in F have a nonempty intersection (the two corresponding lines intersect at a point). Every point is in $t(q + 1)$ sets in F . Moreover $|F| = t(q^2 + q + 1) > n2^k - 2^{k+2} + t > n2^k - 2^{k+2} + 2^k / (n - 1)$.

Subclaim 5: $F \subseteq \mathcal{Y}$.

Proof: Each $Y \in F$ is a set of $|Y| = q + 2 (= n)$ points on a corresponding line in the projective plane. Here $q + 1$ points of Y are among the $q^2 + q + 1$ points of P in the projective plane proper and one point of Y is a special dummy point $dp \notin P$ such that all $Y \in F$ are unique. Recall that q is given since $n = q + 2$ is given. An effective description of $Y \setminus \{dp\}$ given q is as follows.

- Construction of (P, L) given q . If there are more projective planes than one then take the first one enumerated. This takes constant number of bits in a self-delimiting program.
- Description of the line $l \in L$ such that the set of points on l equals $Y \setminus \{dp\}$. Since $|L| = q^2 + q + 1$ a line in L can be selected given L in at most $3 \log q$ bits. Since this item can be the last item in the description it need not be self-delimiting.
- A self-delimiting program of a constant number of bits to construct Y from the items above.

Since $|L| = q^2 + q + 1 = n^2 - 3n + 7$ this description can be given in $2 \log n + c_1$ bits with $c_1 \geq 0$ a constant. Since $C(Y|\langle dp, n \rangle) = C(Y \setminus \{dp\}|\langle dp, n \rangle) + c_2$ for a constant $c_2 \geq 0$ it follows that $C(Y \setminus \{dp\}|\langle dp, n \rangle) \leq k - c_2$ iff $C(Y|\langle dp, n \rangle) \leq k$. If $\max_{y \in Y} C(Y|y, n) \leq k$ then $C(Y|\langle dp, n \rangle) \leq k$. Hence every set $Y \in F$ satisfying $\max_{y \in Y} C(Y|y, n) \leq k$ with $k \geq 2 \log n + c$ with $c = c_1 + c_2$ is in \mathcal{Y} and therefore $F \subseteq \mathcal{Y}$. \square

Subclaim 6: To label the edges incident on members of F there are $|F|$ labels required.

Proof: By construction all the sets in F are different and every two sets in F have a nonempty intersection. It therefore follows from conditions (i) and (ii) that if $Y_1, Y_2 \in F$ and $Y_1 \neq Y_2$ then all edges incident on Y_1 are labeled with the same label but a different one from the label that labels all edges incident on Y_2 . \square

To complete the proof of the main claim equip \mathcal{Y} and F with subscripts n, k writing $\mathcal{Y}_{n,k}$ and $F_{n,k}$, respectively. There are infinitely many $n = q + 2$ with q a prime power, and for every such n there are infinitely many k satisfying $2^k < t(q + 1) \leq 2^{k+1}$ and $k \geq 2 \log n + c$ for some $t \in \mathcal{N}$. Call these n and k the *good* n and k . By Subclaim 5 for the good n and k we have $F_{n,k} \subseteq \mathcal{Y}_{n,k}$. By Subclaim 6 for the good n and k holds that for each $F_{n,k}$ there are $|F_{n,k}|$ different labels required. Using

programs as labels requires therefore $|F_{n,k}|$ different programs. Hence for each pair of good n and k there is a program $p_{n,k}$ of length at least $\log |F_{n,k}|$ labeling the edges incident on some set $Y_{n,k} \in F_{n,k}$. That is, $U(p_{n,k}, \langle y, n \rangle) = Y_{n,k}$ for every $y \in Y_{n,k}$. Altogether, for every pair of good integers n and k we have $Y_{n,k} \in F_{n,k} \subseteq \mathcal{Y}_{n,k}$. Hence for infinitely many n and for each such n for infinitely many k there is a multiset $Y_{n,k}$ with $|Y_{n,k}| = n$ and $\max_{y \in Y_{n,k}} C(Y_{n,k} | \langle y, n \rangle) \leq k$ such that $ID(Y_{n,k}) \geq \log |F_{n,k}| \geq k + \log n - O(1)$ since $\log |F_{n,k}| > \log(n2^k - 2^{k+2} + 2^k/(n-1)) = k + \log n + \log(1 - 4/n + 1/(n(n-1))) = k + \log n - O(1)$ for $n \geq 5$. \square

Corollary 7: For $|X| = 2$ Claim 2 shows the result of [1, Th. 3.3] with error term $O(1)$ instead of $O(\log \max_{x \in X} \{C(X | \langle x, n \rangle)\})$. That is, with $X = \{x, y\}$ the theorem computes x from y and y from x with the same program of length $\max_{x \in X} \{C(X | \langle x, n \rangle)\} + O(1)$. (One simply adds to program r the instruction “the other one” in $O(1)$ bits.)

Corollary 8: If the cardinality n of X is unknown we define

$$ID'(X) = \min\{|p| : U(p, x) = X \text{ for all } x \in X\}.$$

The same proof of the upper bound of Theorem 1 shows that for $|X| = n$ we have $ID'(X) \leq ID(X) + C(n) + 2 \log C(n) + O(1)$ by adding in the proof of Claim 2 a self-delimiting program computing n of length $C(n) + 2 \log C(n) + O(1)$. With respect to the lower bound the number of labels required stays the same as in Claim 3. Hence the lower bound on $ID(X)$ is the same as the lower bound on $ID'(X)$.

ACKNOWLEDGMENT

Bruno Bauwens and the referees gave helpful comments and pointed out errors. The Projective Geometry details in Claim 3 were provided by Lex Schrijver on commission.

REFERENCES

- [1] C. H. Bennett, P. Gács, M. Li, P. M. B. Vitányi, and W. H. Zurek, “Information distance,” *IEEE Trans. Inf. Theory*, vol. 44, no. 4, pp. 1407–1423, Jul. 1998.
- [2] M. Bailey, J. Oberheide, J. Andersen, Z. M. Mao, F. Jahanian, and J. Nazario, “Automated classification and analysis of internet malware,” in *Recent Advances in Intrusion Detection* (Lecture Notes in Computer Science), vol. 4637. Berlin, Germany: Springer-Verlag, 2007, pp. 178–197.
- [3] G. Cantor, “Ein Beitrag zur Mannigfaltigkeitslehre,” *J. Reine Und Angewandte Math.*, vol. 84, pp. 242–258, 1878.
- [4] A. R. Cohen, F. L. A. F. Gomes, B. Roysam, and M. Cayouette, “Computational prediction of neural progenitor cell fates,” *Nature Methods*, vol. 7, pp. 213–218, Feb. 2010.
- [5] R. L. Cilibrasi and P. M. B. Vitányi, “Clustering by compression,” *IEEE Trans. Inf. Theory*, vol. 51, no. 4, pp. 1523–1545, Apr. 2005.
- [6] R. L. Cilibrasi and P. M. B. Vitányi, “The Google similarity distance,” *IEEE Trans. Knowl. Data Eng.*, vol. 19, no. 3, pp. 370–383, Mar. 2007.
- [7] H. S. M. Coxeter, *Projective Geometry*, 2nd ed. New York, NY, USA: Springer-Verlag, 1987.
- [8] M. M. Deza and E. Deza, *Encyclopedia of Distances*. Berlin, Germany: Springer, 2009.
- [9] R. G. Downey and D. R. Hirschfeldt, *Algorithmic Randomness and Complexity*. New York, NY, USA: Springer, 2010.
- [10] P. Gács, “Lecture notes on descriptorial complexity and randomness,” Dept. Comput. Sci., Boston Univ., Boston, MA, USA, Tech. Rep. 02215, 2009.
- [11] F. Kárteszi, *Introduction to Finite Geometries*. Amsterdam, The Netherlands: North Holland, 1976.
- [12] E. Keogh, S. Lonardi, and C. A. Rtanamahatana, “Towards parameter-free data mining,” in *Proc. 10th ACM SIGKDD Conf. Knowl. Discovery Data Mining*, Seattle, WA, USA, Aug. 2004, pp. 206–215.
- [13] A. Kolmogorov, “Three approaches to the quantitative definition of information,” *Problems Inf. Transmiss.*, vol. 1, no. 1, pp. 1–7, 1965.
- [14] M. Li, X. Chen, X. Li, B. Ma, and P. M. B. Vitányi, “The similarity metric,” *IEEE Trans. Inf. Theory*, vol. 50, no. 12, pp. 3250–3264, Dec. 2004.
- [15] M. Li, C. Long, B. Ma, and X. Zhu, “Information shared by many objects,” in *Proc. 17th ACM Conf. Inf. Knowl. Manage.*, 2008, pp. 1213–1220.
- [16] M. Li and P. M. B. Vitányi, *An Introduction to Kolmogorov Complexity and Its Applications*, 3rd ed. New York, NY, USA: Springer-Verlag, 2008.
- [17] M. M. H. Mahmud, “On Universal Transfer Learning,” *Theor. Comput. Sci.*, vol. 410, pp. 1826–1846, Apr. 2009.
- [18] P. M. B. Vitányi, “Information distance in multiples,” *IEEE Trans. Inf. Theory*, vol. 57, no. 4, pp. 2451–2456, Apr. 2011.